FACET ANALYSIS AS A TOOL FOR MODELLING SUBJECT DOMAINS AND TERMINOLOGIES

REPRESENTING FACETS ON THE WEB

Some questions and observations:

- there is a parallel between 'topic' as a property of a knowledge object and the way 'subject' is dealt with in a bibliographic record
- dealing with a KOS or a terminology is different from managing resources themselves
- do we need to deal with the properties of concepts in a different way from the properties of 'knowledge objects'

General applicability of facet theory:

- facet analysis has some merit as a general methodology for modelling domains
- it has a proven track record for the creation of structured vocabularies
- it identifies a wide range of attributes and relationships between concepts (and has the capacity to do more)
- the logical nature of the analysis (and the structure of resulting systems) makes it compatible with automation and susceptible to machine manipulation

Facet analysis as a generalised modelling tool:

- originally envisaged as a means of reducing complex subject content to a predictable linear order for physical organization
- facet analysis achieves four broad objectives:
 - 1. it categorizes concepts into functional groups
 - 2. it imposes order between concepts
 - 3. it identifies relationships between concepts
 - 4. it provides a system syntax for managing combination in the case of complexity

to some degree it shows the features of an ontology

Conventional tools based on facet analysis:

- application of the general methodology produces logical and well ordered structures
- internal organization of facets is straightforward
- synthesis of concepts within and between facets is easily and predictably managed
- highly sophisticated levels of organization can be achieved without compromising the underlying principles
- examples in this presentation use the recently revised Class C Chemistry of the 2nd edition of the Bliss Bibliographic Classification (BC2)

	Kinds of catalysis & catalysts
	By physical location
N	Fixed catalysts
0	Mobile catalysts
	By phase conditions
P	Homogeneous catalysis
	 Catalyst and reactor are in the same phase.
PS	Acid-base catalysts
Q	Heterogeneous catalysts
1,500	 Catalyst and reactor are in different phases.
	By effect on composition
R	Physical catalysts
	 Add to CCA R letters A/W following B; eg
RBJ	Pressure catalysts
S	Chemical catalysts
	 Usually assumed.
	 For reaction product as catalyst, see autocatalysis CCA U.
	 See also Enzymes CUL
TB	Mixed catalysts
	Particular substances
TH	Water (as catalyst), hydrolysis

Figure 1: Internal organization of a facet

CNO MJT MJT J	Compounds with oxygen & other metals . Mixed metal oxides of iron * For specific metals, see the metal; eg, Strontium ferrate (Sr2FeO4) CLA NOM IFN.
MK	. Compounds with oxygen & hydrogen
MKJ	Hydroxides
MKJ HL	Ferrous hydroxide, iron (II) hydroxide
MKJ HN	Iron (III) hydroxide
MQ	. Compounds with sulphur
MQJ	Sulphides
MQJ HL	Ferrous sulphide
MQJ HP	Ferrous disulphide
MQM	. Compounds with sulphur & oxygen
MQM IFL	Ferrous sulphate, iron (II) sulphate Hydrate
MQM IFL KMP	Heptahydrate ferrous sulphate, green vitriol, copperas
MQM IFN	Ferric sulphate, iron (III) sulphate
MV	. Compounds with chlorine
MVJ	Chlorides
MVJ HL	Ferrous chloride, iron (II) chloride
MVJ HN	Ferric chloride, iron (III) chloride

Figure 5: Expansion of schedule through combination of concepts within facets

	Kinds of chromatography
A	. In combination with other analyses
	. By mobility of phase
В	 Stationary phase (chromatography), fixed phase (chromatography)
BL	 Solid support (chromatography) When stationary phase is liquid.
C	Moving phase, mobile phase
CG	Carrier gas (chromatography)
	 By process involved, separation mechanism * For electrochromatography, see C9Q H.
D	Adsorption chromatography
D70 G	Activation

Figure 6: Combination of concepts across facets

	Operations & agents
YQ	 Organization & management of scientific work As TQ (including operations research).
AY32	Research operations (general)
2C	
4	Theory
	 * Alternative (not recommended) to locating after Practical science, at AY8 B.
6	Practical scientific work
7	Unwanted effects Safety & protection
	Agents
В	Equipment & materials (together)
	Operations on equipment & materials
C	Handling techniques
F	Processes in equipment & materials
G	Deterioration
J	Properties of equipment & materials
JE	Reliability Responsiveness
K	By energy interactions & forms
K	* Add to AY3 K letters A/V following B Physics; eg magnetic properties AY3 KJ.
	Parts
NB	Surfaces
	Types of equipment & materials
PD	Smart equipment & materials

Figure 3: Repeating citation patterns in BC2

Broader applications of faceted terminologies:

- these attributes of a faceted terminology produce structures that are not only complex and semantically rich, but also logical
- they also support output of the terminology in various formats
 - 1. conventional classification
 - 2. thesaurus format
 - 3. (potentially) ontological structures
- previous work on the second edition of the Bliss Bibliographic Classification (BC2) has concentrated on the machine generation of 1 and 2
- current work is investigating how the faceted structure can be represented in a web format

BC2 Class C – Chemistry:

- chemistry is theoretically logically structured, but there are practical difficulties in the representation of its considerable complexity
- examples will show how the basic vocabulary is encoded for output as a classification or thesaurus and demonstrate the way in which the BC2 software operates

BC2 markup language:

- BC2 already exists in a machine readable form
- it uses a simple encoding system that enables machine inference of a number of structural features of the classification
- the encoding identifies:
 - 1. hierarchical position
 - 2. non-classes such as principles of division or other 'signposts'
 - 3. status of a class for inclusion in the index
 - 4. formatting of index entries

OSCatalysis, catalysts
O6(Operations on catalysts)
O7catalyst carrier
07Catalyst stripping
O7Poisoning of catalysts, anti-catalysis
O7Regeneration of catalysts
06(Parts of catalysts)
O7Action centre (catalysts)
06(Kinds of catalysis & catalysts)
07(By physical location)
08Fixed catalysts
Openhile catalysts
O8Mobile catalysts
07(By phase conditions)
O8Homogeneous catalysis
* Catalyst and reactor are in the same phase.
09Acid-base catalysts
O8Heterogeneous catalysts
* Catalyst and reactor are in different phases.
07(By effect on composition)
O8Physical catalysts
* Add to CCA_R letters A/W following B; eg
O9Pressure catalysts
O8Chemical catalysts
* Usually assumed.
* For reaction product as catalyst, see
autocatalysis CCA_U.
* See also Enzymes CUL
09Mixed catalysts
O9Particular substances]IT
10water (as catalyst), hydrolysis
100thers]IT
* Add to CCA_T letters 3/S following C for
general substances.
* Add to CCA_T letters T/Y for catalysts in a
special context; eg Peptidases CUF_CAT_T.

Figure 8: Coded classification data in source file for Class C

Generation of schedules and index:

- from this basic input data the software can infer the hierarchical display and other layout elements for publication as a classification schedule
- it will also generate an alphabetical index, although this still requires some manual editing
- note that the index is derived from the classification itself and not built independently
- we know that the source code could be further developed to increase automatic reasoning
- for example if facet/category status were encoded some classes of associative relationships could be inferred, and automatic number building supported

CCA	. Catalysis, catalysts
	Operations on catalysts
G	Catalyst carrier
H	Catalyst stripping
1	Poisoning of catalysts, anti-catalysis
J	Regeneration of catalysts
	Parts of catalysts
L	Action centre (catalysts)
	Kinds of catalysts & catalysts
	By physical location
N	Fixed catalysts
0	Mobile catalysts
	By phase conditions
P	Homogeneous catalysis
	 Catalyst and reactor are in the same phase.
PS	Acid-base catalysts
Q	Heterogeneous catalysts
	 Catalyst and reactor are in different phases.
200	By effect on composition
R	Physical catalysts
1	 Add to CCA R letters A/W following B; eg
RBJ	Pressure catalysts
S	Chemical catalysts
	Usually assumed.
	 For reaction product as catalyst, see autocatalysis CCA U.
	See also Enzymes CUL
TB	Mixed catalysts
	Particular substances
TH	Water (as catalyst), hydrolysis
TJ	Others
	 Add to CCA T letters J/S following C for
	general substances.
	 Add to CCA T letters T/Y for catalysts in a
	special context; eg Peptidases
	CUF CAT T.

Thesaurus generation:

- the same input data will also generate a thesaurus
- this involves the same methodology as the manual derivation of a thesaurus from a faceted classification
- the software replicates the intellectual process of identifying relationships between concepts through the examination of the classification structure
- it is able to infer both equivalence relationships and narrower term/hierarchical relationships and their reciprocals
- knowledge of the scheduling rules of the classification is built into the program

Magnetism $_{\rm BJ}$ See note at BGY re magnetism and bulk matter. Add to BJ letters A/Y following BVJ where applicable; eg . Magnetic field BJB H . Processes & properties . . Magnetic moment, dipole moment IM BJC P . . Relaxation BJF O . . Resonance . . Magnetic flux BJK . . . Susceptibility . . Magnetization BJL . Field components . . Magnetic monopoles BJN . . Dipoles . Forms of magnetism . . Diamagnetism BJQ . . Paramagnetism BJR BJU . Interactions with other energy forms . . Magnetomechanical effects . . . Magnetostriction

Figure 7: Thesaural relationships exposed in the faceted display

Structural and syntactic rules:

- the software has the following information about any individual class derived from the markup
 - 1. its position in the hierarchy of items
 - 2. its classmark, if it has one
 - 3. its names
 - 4. its cross-references, if it has any
 - 5. its importance indicator (a device to ensure appropriate column/page breaks), if it has one.

Structural and syntactic rules:

- the program also has knowledge of sequencing in the classification based on rules of syntax:
 - 1. a class
 - 2. its first offspring
 - 3. if no offspring, its next sibling
 - 4. if no more siblings, its parent's next sibling
 - 5. if no more parent's siblings, its grandparent's next sibling
 - 6. and so on, ad infinitum.

Program output:

- from this data the software can infer the relationship between pairs of classes
- it labels them accordingly to produce the thesaurus format
- although some manual editing is required, no intellectual input is necessary for this process to occur
- if the structure of classification is correctly established and encoded, the thesaurus will sit on the back of it
- this phenomenon confirms the applicability of facet analysis beyond the limits of classificatory structures

Neo-impressionism (1880s/1890s) WK9 FLT N BT 9th decade WK9 FLT NT Pont Aven School WK9 FLT NP Neolithic WC7 RH7 8X BT Aegean art WC7 RH NT Sesklo period WC7 RH7 8XS Neolithic WDR 78X BT Chinese visual arts WDR NT Liangzhu culture WDR 78Y LI NT Longshan culture WDR 78Y LO Neolithic WDS 78X BT Prehistory WDS 78 Neolithic art WC7 8X UF New stone age art BT Stone age art WC78B NT Animal style (Neolithic art) WC7 8X3 SAN Neolithic art WC7 P78 X UF New stone age art BT Stone age art WC7 P78 B

Netherlands art WCJ U UF Dutch art BT European visual arts WCD NT 20th century WCJUN Netherlands painting WK9 JU USE Dutch painting Netsuke WHG VN BT Articles of adornment WHGT Netting WGT SU BT Lace work WGTS NT Egyptian network WGT SUW NT Filet WGT SUX NT Tulle WGT SUU Networks WTU CP USE Controllers Neue Sachlichkeit WCK NGN UF Magic realism UF New objectivity BT 1920s WCK NG

Figure 10: Thesaurus display generated from source code in BC2

Vocabulary control in BC2:

- lack of editorial policy in the drafting of early schedules throws up some difficulties in the area of vocabulary control
- many of the class names are not suitable as thesaurus terms
- formatting of class names is not consistent
- preferred terms are not clearly indicated
- this means that existing schedules require heavy editing for the thesaurus format
- better editorial control of future schedules will make the process more easily managed

JGD	04^Student organisations, societies T, clubs T, student	
	societies= student clubs=clubs, student=student	
	societies= societies, student SI	
100	* Organisations based on institution attended.	
JGE	O5Officers]T= Officers of student organisations	
JGEH	O6Prefects, monitors, form leaders T	
JGEK	O6Heads of schools]T	
JGEP	O6Presidents, vice-presidents T	
JGES	O6Secretaries T	
8	OS(Particular organisations)	
	 Those serving a particular activity are 	
	subordinated to the activity.	
JGF	O6Students' unions	
JGG	Offraternities - sororities - Greek letter societies	
JGJ	O6Alumni alumnae graduate organisations	
JGK	OSSocial activities T=+ cultural activities T= "Students	
social		
10000	Activities= students cultural activities [SI	
JGL	O6Journalism T=+ student magazines T= Student journalism=	
	journalism, student= student magazines [SI	

Figure 11: Editorial revision for thesaurus generation

Representing facets on the web:

- in order to interact fully with the semantic web, a faceted terminology must be visible there
- more importantly, all the aspects and functions of a faceted system must be visible too
- the current challenge for BC2 is to see how this can best be achieved
- BC2 is at present only visible as:
 - PDF files of drafts as Word documents
 - PDF files of camera ready copy of published classes derived from source code
 - some limited examples of source code

	Introduction and auxiliary schedules	1977	* ISBN: 0408708212
2/9	Generalia, phenomena, knowledge, information science & technology		
A/AL	Philosophy and logic	1991	ISBN: 1857390253
AM/AX	Mathematics, probability, statistics	1993	ISBN: 1857390725
AY/B	General science, Physics	1999	ISBN: 0408708247
С	Chemistry (Unpublished incomplete draft)		
D	Astronomy and earth sciences		
DG/D	/ Earth sciences (Unpublished draft available in pdf format)		
E/GQ	Biological sciences (Unpublished incomplete draft)		
GR/G	Z Applied biological sciences: agriculture and ecology		
Н	Physical anthropology, human biology, health sciences	1980	* ISBN: 040870828X
1	Psychology and psychiatry	1978	* ISBN: 0408708417
J	Education (Rev. ed.)	1990	ISBN: 0862912784
K	Society (includes social sciences, sociology and social anthropology)	1984	* ISBN: 0408708301
L/O	History (including area studies, travel and topography, and biography)		
БО	(Two unpublished drafts available in pdf format, by <u>Haddon Library</u> and <u>Sidney Sussex College</u>)	
LA	Archaeology (Unpublished draft available in pdf format)		
Р	Religion, occult, morals and ethics	1977	ISBN: 0408708328
Q	Social welfare and criminology (Rev. ed.)	1994	ISBN: 1857391217
R	Politics and public administration	1996	ISBN: 1857390776
S	<u>Law</u>	1996	ISBN: 1857390679
T	Economics and management of economic enterprises	1987	ISBN: 0408708344
U/V	Technology and useful arts (including household management and services)		
W	The Arts (Available on this site in pdf format)	2007	ISBN: 3598243359
WV/W	X Music (Unpublished draft available in pdf format)		
X/Y	Language and literature (Unpublished draft available in pdf format)		
ZA/ZW	Museology (Unpublished draft available in pdf format)		

Options for future development:

- the current coding system requires the use of the customised software to make it work
- it could be converted to another format
- alternatively future schedules could be encoded entirely differently
- in that case the optimum format must be decided
- should we regard BC2 as:
 - a text
 - a database
 - an ontology

Existing formats:

- a form of XML exists for faceted tools (XFML)
- but it is no longer supported
- it is relatively simple and doesn't look particularly compatible with BC2

```
    New York (New York is a topic within the facet City)
    L.A.

Type of place

    Bars
    Restaurants

Type of music

Blues
    Latin

Figure 12: Representation of faceted structure in XFML

* New York (New York is a topic within the facet City)

- City (City is a facet)

- New York (New York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet City)

- City (See York is a topic within the facet is placet is placet in york is placet in york in the facet is placet in york in the facet is placet in york in the facet in york in york in the facet in york in york in the facet in york in the facet in york in york in the facet in york in the facet in york in york in york in the facet in york in york
```

Converting BC2 source code to XML:

- this proved surprisingly easy to manage
- a simple program achieved output of the code as XML
- it identifies structural features of the BC2 KOS such as principles of division and scope notes
- but it looks very much like a digital text
- not entirely clear whether it preserves the hierarchical structure
- it almost certainly lacks the functionality of the original code + software in terms of the automatic reasoning

```
- <concept id="CCA" term="Catalysis, catalysts">
 - <charOfDivision term="(Operations on catalysts) ]IT">
     <concept id="CCAG" term="Catalyst carrier" />
     <concept id="CCAH" term="Catalyst stripping" />
     <concept id="CCAI" term="Poisoning of catalysts, anti-catalysis" />
     <concept id="CCAJ" term="Regeneration of catalysts" />
   </charOfDivision>
 - <charOfDivision term="(Parts of catalysts) ]IT">
     <concept id="CCAL" term="Action centre (catalysts)" />
   </charOfDivision>

    - <charOfDivision term="(Kinds of catalysis & catalysts) ]IT">

    - <charOfDivision term="(By physical location) ]IT">

       <concept id="CCAN" term="Fixed catalysts" />
      <concept id="CCAO" term="Mobile catalysts" />
     </charOfDivision>
   - <charOfDivision term="(By phase conditions)]IT">
    - <concept id="CCAP" term="Homogeneous catalysis">
        <scopeNote>Catalyst and reactor are in the same phase.</scopeNote>
        <concept id="CCAPS" term="Acid-base catalysts" />
      </concept>
    - <concept id="CCAQ" term="Heterogeneous catalysts">
        <scopeNote>Catalyst and reactor are in different phases.
      </concept>
     </charOfDivision>

    - <charOfDivision term="(By effect on composition) ]IT">

    - <concept id="CCAR" term="Physical catalysts">
        <scopeNote>Add to CCA_R letters A/W following B; eg</scopeNote>
        <concept id="CCARBJ" term="Pressure catalysts" />
      </concept>
    - <concept id="CCAS" term="Chemical catalysts">
        <scopeNote>Usually assumed.</scopeNote>
        <RT idref="CCAU">For reaction product as catalyst: Autocatalysis</RT>
        <RT idref="CUL">Enzymes</RT>
        <concept id="CCATB" term="Mixed catalysts" />
      - <charOfDivision term="Particular substances ]IT">
          <concept id="CCATH" term="Water (as catalyst)" />
```

Figure 13: XML output from BC2 source code

A skos form of BC2?

- If we look at the skos elements, they bear a better relationship to BC2 encoding
- skos can represent:
 - editorial elements
 - structural elements
 - some relationships
 - hierarchical relationships
 - equivalence relationships
- in some respects it is more specific than BC2
- but some aspects of BC2 are missing

SKOS elements	BC2 elements	Encoded as
skos:concept	BC2 class	(0x)
skos:broader	BC2 superordinate class, BT	(0x+1)
skos:narrower	BC2 subordinate class, NT	(0x-1)
skos:prefLabel	BC2 preferred term (lead term in class, index entry term)	
skos:altLabel	BC2 non-preferred term, synonyms and near-synonyms, non-lead terms	
skos:notation	BC2 classmark	e.g. CCA
skos:note	BC2 general notes, explanations	@
skos:editorialNote	BC2 instruction	@
skos:scopeNote	BC2 scopenote	@ @ RT
skos:related	BC2 related term	ŔŢ
skos:broaderTransitive	BC2 super-superordinate classes	(0x+2)
skos:narrowerTransitive	BC2 sub-sub-ordinate classes	(0x-2)
skos:collection	BC2 facet or array, facet name or characteristic of division	@ ()
skos:orderedCollection	BC2 ordered facet or array (default position in BC2)	
skos:member	BC2 class in array)

Figure 13: Correspondence between SKOS elements and BC2 code

BC2 as skos:

- a skos version of BC2 would not be the same as the existing terminology
- it would not be a 'thing' in itself usable as a terminology
- it seems unlikely that we could export the BC2 code to a skos format as we did with XML
- it seems to imply a huge inputting effort (for which we don't have the resource)
- would effort be better spent in setting BC2 up as a relational database (in the same way as UDC)

BCA www.blissclassification.org.uk



The classification (BC2):

History and description | Using the scheme | Schedules | Library users | Bibliograph
The association (BCA):

Annual lectures | BC Bulletin | BCA Committee | Join the BCA | Contacts

Search this site

Welcome to the web pages of the Bliss Classification Association

The BCA exists to promote development and use of the Bibliographic Classification (BC2).

It publishes official amendments via its annual *Bliss Classification Bulletin*, enables users to keep in touch and exchange them a say in the future of the scheme. It is a nonprofit organisation, founded in 1967, with members all over the world.

